

DPH 5069  
24009

MOGEEAN-ROHCO, INC.  
MATERIAL SAFETY DATA SHEET

**A. MATERIAL IDENTIFICATION**

Product Name: CEE-BEE CLEANER SOLVENT C-50

Emergency Phone No.:  
216/441-4900

Plant Address: 9520 E. CeeBee Dr., Downey CA 90241

Chemtrec Phone No.:  
800/424-9300

Prepared by: TSCA Coordinator

Issue Date: 1983

Revised: 9/91

**B. INGREDIENTS AND HAZARDOUS COMPONENTS**

	%	TLV (mg/cubic meters)	C.A.S. No.	Suspect Carcinogen
*Methylene chloride	80-90	350	75-09-2	Yes
Isopropyl alcohol	5-20	980	67-63-0	No

\*SARA 313 Chemical

**C. PHYSICAL DATA**

Boiling Point: 104F  
Freezing Point: UK  
Specific gravity: 1.2  
pH: NA  
Vapor Pressure: 380 mmHg  
Vapor Density (air=1): 2.9

% Volatiles by Volume: 100  
Evaporation Rate (butyl acetate=1): >1  
Solubility in water: Insoluble  
Odor: Solvent  
Appearance & Form: Clear, colorless, thin  
liquid

**D. FIRE AND EXPLOSION HAZARD DATA**

Flash Point: None  
Flammable Limits, LEL: NA  
UEL: NA

Test Method: TOC/TCO

Extinguishing Media: If involved in a fire, water fog.

Special Fire Fighting Procedures: If involved in a fire, self-contained breathing apparatus should be worn.

Unusual Fire and Explosion Hazards: Flammable vapor-air mix possible

**E. REACTIVITY DATA**

Stable x Unstable     

Incompatibility - Materials to Avoid: Strong oxides

Hazardous Decomposition Products: Open flame can cause thermal degradation  
giving off hydrogen chloride and chlorine.

Hazardous Polymerization: Will not occur.

#### F. HEALTH HAZARD DATA

Effects of Overexposure and Primary Entries to Body: Primary entry through contact and inhalation. Could cause irritation, inflammation or burns. Vapors could cause dizziness, nausea, headache.

Emergency and First Aid Procedures: For eye contact, flush with water for at least 15 minutes. Get medical attention. For skin contact, wash off in flowing water, then wash with soap and water. Inhalation, remove to fresh air. Get medical attention. For ingestion, do not induce vomiting. Call physician.

#### G. SPILL OR LEAK PROCEDURES

Spills: Mop, wipe or soak up immediately with absorbent.

Waste Disposal Methods: Send to an approved waste disposal facility. Follow all Local State and Federal regulations.

#### H. SPECIAL PROTECTION INFORMATION

Respirator: IF TLV exceed, NIOSH or MSHA approved  
Ventilation: Sufficient to keep below TLV limits  
Gloves: Neoprene  
Eye and Face: Goggles and face shield  
Other: Sufficient to prevent contact

Special Handling Procedures: Store in cool, dry, well-ventilated area at 32-90F. Open containers slowly and with caution to vent pressure buildup

Shipping Class (IATA, DOT, IMCO): 6.1

Register No.: UN 2810

Explanation of Symbols: NA = not applicable. UK = Unknown

These data are offered solely for your information, consideration and investigation. While the information and recommendations herein are believed to be accurate as of the date hereof, McGean-Rohco, Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon herein.

MCGEAN-ROHCO, INC.

9520 E. CeeBee Drive, Downey CA 90241  
310/803-4311

FACSIMILE MESSAGE

FAX NUMBER: 310/803-6701

No. of pages (including this page) 3

FIRM: DOUGLAS AIRCRAFT

DATE: AUGUST 11, 1992

ATTN: ROGER FURMAN  
(Tel. 310/593-9838)

FAX NO: 310/593-9838

SUBJECT: MATERIAL SAFETY DATA SHEET

We are providing you with a current Material Safety Data Sheet for the following named McGean-Rohco product as requested and in compliance with OSHA Hazard Communication Standard 29 CFR 1910.1200 and Section 313 of Title III of SARA. All hazardous ingredients greater than 1.0% by weight and all suspect carcinogens greater than 0.1% by weight are listed, showing chemical name and TLV.

CEE-BEE CLEANER SOLVENT C-50

Although distribution should be made in compliance with Federal and Local rules and regulations, the MSDS should be protected from release to unauthorized personnel.

Cee-Bee Technical Service: J. M. (Jerri) Dickerson (404/753-2692)

Sales Representative: S. H. (Sandy) Sadler, Cee-Bee Regional Sales Manager

/bg

(enclosures)